



PERFORMANCE • INNOVATION • RELIABILITY

Garcia-Pardo, J., Graña-Montes, R., Fernandez-Mendez, M., Ruyra, A., Roher, N., Aviles, F. X., & Lorenzo, J. (2014). Amyloid formation by human Carboxypeptidase D Transthyretin-like domain under physiological conditions. *Journal of Biological Chemistry*, 289(49), 33783–33796. <http://www.jbc.org/content/289/49/33783.short>

Domonkos, C., Fitos, I., Visy, J., & Zsila, F. (2013). Fatty acid modulated human serum albumin binding of the β -carboline alkaloids Norharmaline and Harmaline. *Molecular Pharmaceutics*, 10(12), 4706–4716. <http://pubs.acs.org/doi/abs/10.1021/mp400531n>

Domonkos, C., Fitos, I., Visy, J., & Zsila, F. (2014). Role of the conformational flexibility of evodiamine in its binding to protein hosts: A comparative spectroscopic and molecular modeling evaluation with rutaecarpine. *Physical Chemistry Chemical Physics*, 16(41), 22632–22642. <http://pubs.rsc.org/is/content/articlelanding/2014/cp/c4cp02483d>

Miura, Y., Yasuda, K., Yamamoto, K., Koike, M., Nishida, Y., & Kobayashi, K. (2007). Inhibition of Alzheimer Amyloid aggregation with Sulfated Glycopolymers. *Biomacromolecules*, 8(7), 2129–2134. <http://pubs.acs.org/doi/abs/10.1021/bm0701402>

Wu, L.-Z., Sheng, Y.-B., Xie, J.-B., & Wang, W. (2008). Photoexcitation of tryptophan groups induced reduction of disulfide bonds in hen egg white lysozyme. *Journal of Molecular Structure*, 882(s 1–3), 101–106. <http://www.sciencedirect.com/science/article/pii/S0022286007006369>

Di Domizio, J., Zhang, R., Stagg, L. J., Gagea, M., Zhuo, M., Ladbury, J. E., ... wcao (2012). Binding with nucleic acids or Glycosaminoglycans converts soluble protein Oligomers to Amyloid. *Journal of Biological Chemistry*, 287(1), 736–747. <http://www.jbc.org/content/287/1/736.short>

Machida, K., Kono-Okada, A., Hongo, K., Mizobata, T., & Kawata, Y. (2008). Hydrophilic residues 526KNDAAAD531 in the flexible c-terminal region of the Chaperonin GroEL are critical for substrate protein folding within the central cavity. *Journal of Biological Chemistry*, 283(11), 6886–6896. <http://www.jbc.org/content/283/11/6886.short>

Rathnayaka, T., Tawa, M., Sohya, S., Yohda, M., & Kuroda, Y. (2017). Biophysical characterization of highly active recombinant luciferase expressed in. *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*, 1804(9), 1902–1907. <http://www.sciencedirect.com/science/article/pii/S1570963910001123>

Xie, J., Qin, M., Cao, Y., & Wang, W. (2011). Mechanistic insight of photo-induced aggregation of chicken egg white lysozyme: The interplay between hydrophobic interactions and formation of intermolecular disulfide bonds. *Proteins: Structure, Function, and Bioinformatics*, 79(8), 2505–2516. <http://onlinelibrary.wiley.com/doi/10.1002/prot.23074/full>

Haratake, M., Takiguchi, T., Masuda, N., Yoshida, S., Fuchigami, T., & Nakayama, M. (2017). Amyloid formation characteristics of GNNQQNY from yeast prion protein sup35 and its seeding with heterogeneous polypeptides. *Colloids and Surfaces B: Biointerfaces*, 149, 72–79. <http://www.sciencedirect.com/science/article/pii/S0927776516307159>

Feng, D.-Q., Zhu, W., Liu, G., Wang, W., Technology, Y. I. of, China, P. R., ... Engineering, C. (2016). Dual-modal light scattering and fluorometric detection of lead ion by stimuli-responsive aggregation of BSA-stabilized copper nanoclusters. *RSC Advances*, 6(99), 96729–96734. <http://pubs.rsc.org/en/content/articlelanding/2016/ra/c6ra21470c>

Khan, A. A., Alanazi, A. M., Jabeen, M., Pervez, K., Wahab, R., Abdelhameed, A. S., & Chauhan, A. (2015). Biophysical interactions of novel Oleic acid conjugate and its Anticancer potential in HeLa cells. *Journal of Fluorescence*, 25(3), 519–525. <http://link.springer.com/article/10.1007/s10895-015-1512-6>

- Marinelli, P. (2016). Dissecting the contribution of staphylococcus aureus α -phenol-soluble modulins to biofilm amyloid structure. *Scientific Reports*, 6, 34552. <http://www.nature.com/articles/srep34552>
- Wahiduzzaman, Dar, M. A., Haque, M. A., Idrees, D., Hassan, M. I., Islam, A., & Ahmad, F. (2017). Characterization of folding intermediates during urea-induced denaturation of human carbonic anhydrase II. *International Journal of Biological Macromolecules*, 95, 881–887. <http://www.sciencedirect.com/science/article/pii/S0141813016321171>
- Nithya, P., Helena, S., Simpson, J., Ilanchelian, M., Muthusankar, A., & Govindarajan, S. (2016). New cobalt(II) and nickel(II) complexes of benzyl carbazate Schiff bases: Syntheses, crystal structures, in vitro DNA and HSA binding studies. *Journal of Photochemistry and Photobiology B: Biology*, 165, 220–231. <http://www.sciencedirect.com/science/article/pii/S1011134416306510>
- Jash, B., Scharf, P., Sandmann, N., Guerra, C. F., Megger, D. A., & Müller, J. (2016). A metal-mediated base pair that discriminates between the canonical pyrimidine nucleobases. *Chemical Science*, 8(2), 1337–1343. <http://pubs.rsc.org/en/content/articlehtml/2016/sc/c6sc03482a>
- Kumar, R. R., Ramesh, R., & Matecki, J. G. (2016). Ru(II) carbazole thiosemicarbazone complexes with four membered chelate ring: Synthesis, molecular structures and evaluation of biological activities. *Journal of Photochemistry and Photobiology B: Biology*, 165, 310–327. <http://www.sciencedirect.com/science/article/pii/S1011134416306340>
- Gregersen, S., Vosch, T., & Jensen, K. J. (2016). Peptide-stabilized, fluorescent silver Nanoclusters: Solid-phase synthesis and screening. *Chemistry - A European Journal*, 22(51), 18492–18500. <http://onlinelibrary.wiley.com/wo1/doi/10.1002/chem.201603176/abstract>
- Prasanna, G., & Saraswathi, N. T. (2017). Linolenic acid prevents early and advanced glycation end-products (aGEs) modification of albumin. *International Journal of Biological Macromolecules*, 95, 121–125. <http://www.sciencedirect.com/science/article/pii/S0141813016323832>
- Bhattacharya, D., Kumar, A., & Panda, D. (2017). WhmD promotes the assembly of FtsZ: A possible role of WhmD in bacterial cell division. *International Journal of Biological Macromolecules*, 95, 582–591. <http://www.sciencedirect.com/science/article/pii/S0141813016308972>
- Suga, K., Tanabe, T., & Umakoshi, H. (2013). Heterogeneous Cationic liposomes modified with 3β -[N-(N',N'-Dimethylamino)ethyl]carbamoyl]cholesterol can induce partial conformational changes in messenger RNA and regulate translation in an Escherichia coli cell-free translation system. *Langmuir*, 29(6), 1899–1907. <http://pubs.acs.org/doi/abs/10.1021/la3050576>
- Zeymer, C., Werbeck, N. D., Schlichting, I., & Reinstein, J. (2013). The molecular mechanism of Hsp100 chaperone inhibition by the Prion curing agent Guanidinium chloride. *Journal of Biological Chemistry*, 288(10), 7065–7076. <http://www.jbc.org/content/288/10/7065.short>
- Suganthi, M., & Elango, K. P. (2017). Synthesis, characterization and serum albumin binding studies of vitamin K3 derivatives. *Journal of Photochemistry and Photobiology B: Biology*, 166, 126–135. <http://www.sciencedirect.com/science/article/pii/S1011134416302883>
- Kim, Y., Ryu, B. H., Kim, J., Yoo, W., An, D. R., Kim, B.-Y., ... Kim, D. T. (2017). Characterization of a novel SGNH-type esterase from. *International Journal of Biological Macromolecules*, 96, 560–568. <http://www.sciencedirect.com/science/article/pii/S0141813016313216?np=y>
- Gribenko, A., Severina, E., Sidhu, M. K., Jansen, K. U., Green, B. A., & Matsuka, Y. V. (2017). Development of a subunit vaccine for prevention of associated diseases: Biophysical characterization of toxoids A and B. *Biochemistry and Biophysics Reports*, 9, 193–202. <http://www.sciencedirect.com/science/article/pii/S2405580817300080>